

# On Her Majesty's Service

WASC1266

1266.

Rubber Bucket for Explosives

---


# RUBBER BUCKET FOR EXPLOSIVES. — R.G.P.F. —

SCALE: — FULL SIZE. —

DIMENSIONS IN INCHES.

THE WHOLE TO BE VULCANISED TOGETHER.

THE PURPOSE FOR WHICH THIS BUCKET IS REQUIRED,  
MAKES IT ABSOLUTELY ESSENTIAL THAT NO METAL  
OF ANY KIND BE USED IN ITS CONSTRUCTION.



NOTE  
THICKNESS OF RUBBER COVERING  
OUTSIDE & INSIDE MUST BE 1/16 IN.

RIM TO BE MADE OF 8 PLY CANVAS,  
RUBBER COVERED;  
ADDITIONAL TO THE BODY.

THE BOTTOM TO BE MADE OF  
8 PLY CANVAS, RUBBER COVERED,  
1/16 RUBBER LAYER & CORNER PIECE.

HANDLE TO BE MADE OF 8 PLY CANVAS,  
RUBBER COVERED. (SEE SECTION A.A.)  
THE CANVAS TO BE PASSED THROUGH  
THE RIM, DIVIDED & TURNED UPWARDS  
A PLY ON EACH SIDE.  
IT IS TO BE SECURELY SEWED ABOVE  
THE RIM PREVIOUS TO THE LAST  
LAYER BEING APPLIED.

MODIFICATIONS:

- 9/2/33. 1/16 THICK RUBBER OUTSIDE & INSIDE
- 1/16 RUBBER LAYER & CORNER PIECE  
ADDED TO INSIDE BOTTOM.
- SECTION OF HANDLE, REBUILT &  
RUBBER LAYERS ADDED FOR STRENGTH

J.P. Warrin

SUPERINTENDENT  
WALTHAM & ENFIELD

24/3/14 23/3/14