

WASC 1888

Emergency Call

Out Numbers

with Names

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
G400	4	DSE	Store	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G401	4	DSE	Water Softening Tank	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G402	4	DSE	Water Treatment Plant	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G403	4	DSE	Machine Shop	Mr S Hewitson Mr S Hewitson	Mr S Hewitson Mr L Little
G404	4	DSE	Oil Tank Compound	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G405	4	DSE	New Boiler House	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G406	4	DSE	New Compressor House	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G407	4	DSE	Blacksmiths Shop	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G408	4	DSE	Chemical Plumbers and Services	Mr A C Bird Mr A C Bird	Mr A C Bird Mr G Horne
G409	4	DSE	Cement and Timber Store	Mr E Perry Mr E Perry	Mr E Perry Mr S Hutchings
G409A	4	DSE	Hardening Shop	Mr S Hewitson	Mr S Hutchings
G411N	4	DSE	Pressure Test Room	Mr P Burnham Mr P Burnham	Mr R Darby Mr K Meekin
G411S	4	DSE		Mr S Hewitson Mr G Horne	Mr S Hewitson Mr G Horne
G412	4	DSE	Carpenters Shop	Mr E Perry Mr E Perry	Mr E Perry Mr S Hutchings
G413	4	DSE	Timber Rack	Mr E Perry Mr E Perry	Mr E Perry Mr S Hutchings
G414	4	DSE	New Timber Rack	Mr E Perry Mr E Perry	Mr E Perry Mr S Hutchings
G415	4	DSE	Offices	Mr E Perry Mr E Perry	Mr E Perry Mr S Hutchings
G416	4	DSE	Inspection Workshop	Mr P Burnham Mr P Burnham	Mr R Darby Mr K Meekin
G417	4	PR	Solvent Store (E of G418)	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G418C	4	PR	P and M Room South Section	Dr M I Phillips Mr J A Kemp	Mr C Parker Mr F Perry
G418B	4	PR	P and M Room N Section and W Bay	Dr D Sims Mr R Tobias	Dr D Sims Mr P J Eickhoff
G418A	4	PR	Polymerisation Plant	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G419	4	PR	PR Stores	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G420A	4	DSE	Oil Stores	Mr S Hewitson	Mr S Hewitson
G420B	4	DSE	Oil Stores	Mr S Hewitson	Mr S Hewitson
G420C	4	DSE	Oil Stores	Mr E Perry Mr S Hutchings	Mr E Perry Mr S Hutchings
G421	4	PR	Store	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
G422	4	PR	Block of 7 Storage Garages	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G423	4	PR	Block of 3 Storage Garages	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G424	4	PR	Toilets Rest Room and Glass Store	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G425	4	PR	Solvent Store (E of G418)	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G426	4	PR	Solvent Store (E of G418)	Mr G E Bagg Dr M I Phillips	Mr C Parker Mr F Perry
G427	4	PR	Solvent Store (E of G418)	Mr G E Bagg Mr M I Phillips	Mr C Parker Mr F Perry
G428	4	PR	Solvent Store (E of G418)	Mr G E Bagg Mr J Kemp	Mr C Parker Mr F Perry
G429	4	DSE	Electric Substation	Mr R Ingram Mr F Mansfield	Mr R Russell Mr R Ingram
G430	4	PC1	Process Building	Mr J Cook Mr N Parratt	Mr J Cook Miss A Howard
G431	4	Admin	Central Stores and Stores Office	Mr D Johnson Mrs J Carpenter	Mr K Dedman Mr D W Brundit
G432	4	PR	Chem Eng Labs and Offices	Dr D H Richards Dr M I Phillips	Mr A J Williams Dr R Millar
G433	4	PR	Locker Magazine	Dr M I Phillips Dr M I Phillips	Mr A J Williams Dr R Millar
G434	4	Admin	Store (Furniture)	Mr D Johnson Mrs J Carpenter	Mr K Dedman Mr D W Brundit
G435	4	DSE	Store	Mr E Perry Mr S Hutchings	Mr E Perry Mr S Hutchings
G436	4	DSE	Standby Generator	Mr R Ingram Mr F Mansfield	Mr R Russell Mr R Ingram
G437	4	DSE	Riggers Shop	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G440	4	PR	Electronics Workshop and Offices	Mr D H L Mansell Mr A D Short	Mr D H L Mansell
G441	4	Admin	Main Office	Mr A J Reynolds Mr J Bisset	Mr A J Reynolds Mr J Bisset
G442	4	PR	Electronics and Instrumentation Store	Mr D H L Mansell Mr A D Short	Mr D H L Mansell
G444	4	DSE	EFB Office	Mr B George Mr J Kent	Mr A Dentry Mr A K Clarke
G445	4	DSE	Drawing Office	Mr A Dentry Mr A K Clarke	Mr A Dentry Mr A K Clarke
G446	4	DSE	EFB Store NE of G405	Mr A C Bird Mr G Horne	Mr A C Bird Mr G Horne
G447	4	PR	Store	Mr G Bagg Mr J Kemp	Mr C Parker Mr F Perry
G448	4	PR	Compounding Room	Dr D Sims Mr R Tobias	Dr D Sims Mr P J Eickhoff
G451	4	DSE	Ejector House Quinton Gate	Mr E Perry Mr E Perry	Mr E Perry Mr S Hutchings
G454	4	MDP	Police Lodge Quinton Gate	MDP	MDP
G456	4	Admin	Acid Store	Mr D Johnson Mr K Dedman	Mr K Dedman Mr D W Brundit

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
G457	4	Admin	Solvent Store	Mr D Johnson	Mr K Dedman
G458	4	PR	Shift House and Office	Mr K Dedman	Mr D W Brundit
G459	4	Admin	Laundry	Mr J A Kemp Dr M I Phillips	PR Foreman Mr S Bennett
				Mr D Johnson	Mr K Dedman
				Mr K Dedman	Mr D W Brundit

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
M315	4	MDP	Police Search Hut Swingbridge Gate	MDP	MDP
M316	4	MDP	Police Hut Swingbridge Gate	MDP	MDP
M317	4	DSE	Raw Water Pump House	Mr A C Bird	Mr A C Bird
M319	4	DSE	Incinerator	Mr G Horne	Mr G Horne
M320	4	PR	Instrument Control Room	N/A	N/A
M321	4	PR	Store	Dr D Sims	Dr D Sims
M322	4	PR	Firing Point	Dr D Sims	Mr P J Eickhoff
M323	4	PR	Control Room	Dr D Sims	Dr D Sims
M325	4	P1	Expense Magazine for M343	Dr D Sims	Mr P J Eickhoff
M326	4	PR	Magazine	Dr D Sims	Dr D Sims
M327	4	DSE	Labour Pool Mower Shed	Dr D Sims	Mr P J Eickhoff
M328	4	DSE	Scrap Metal Bins	Mr B C Howard	Mr W A W Smith
M329	4	DSE	Office	Mr W A W Smith	Mr B C Howard
M330	4	DSE	Store	Mr M E N Evans	Mr M E Evans
M331	4	DSE	Electricians Workshop	Mr M E N Evans	Mr J King
M332	4	PR	Metal Powder Store (A1)	Mr E Perry	Mr E Perry
M333	4	DSE	Electricians Office and Store	Mr E Perry	Mr S Hutchings
M334	4	PR	Store Near M338	Mr E Perry	Mr E Perry
M335	4	PR	Store Near M338	Mr E Perry	Mr S Hutchings
M338	4	PR	10 Pound Explosives Facility	Mr E Perry	Mr E Perry
M339	4	PR	Control Room For M338	Mr E Perry	Mr S Hutchings
M340	4	None	Not In Use	Mr E Perry	Mr E Perry
M342	4	PC2	Charge Machining	Mr E Perry	Mr S Hutchings
M343N	4	P2	Explosives Composition	Mr E Perry	Mr E Perry
M343S	4	P1	Ballistic Assessment	Mr R Ingram	Mr S Hutchings
M344	4	P1	Shatter Test	Mr F Mansfield	Mr R Russell
M345	4	P1	Ballistic Assessment Firing Chamber	Mr M E N Evans	Mr M E N Evans
M346	4	P2	Store	Mr M E N Evans	Mr J King
M347	4	P2	Demolished	Mr M E N Evans	Mr M E N Evans

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
M348	4	P2	Storage of Explosives	Mr D Debenham Mr A Wilson	Mr A Wilson Mr D Debenham
M349	5	P1	Box Store	Mr P J Bourn	Mr A Heath
M350	4	PC2	Spigot Drop Test	Mr D C Mullenger Mr D C Mullenger	
M351	4	None	Not In Use	N/A	N/A
M352	4	PC2	Steel Store	Mr B James Mr B James	Dr D Sims Mr P J Eickhoff
M353	4	PC2	Explosive Store	N/A	N/A
M354	4	DSE	Sewer Pump House	Mr R Ingram Mr F Mansfield	Mr R Russell Mr R Ingram
M355	4	PR	Locker Magazine	Mr M E N Evans Mr J King	Mr M E N Evans Mr J King
M356	4	P2	Store	Mr D Debenham Mr Wilson	Mr A Wilson Mr D Debenham
M357	4	P2	Store and Explosives Magazine	Mr D Debenham Mr A Wilson	Mr A Wilson Mr D Debenham
M358	4	PC2	Control Room For M350	Mr D C Mullenger Mr D C Mullenger	Mr A Wilson Mr D Debenham
M359	4	P2	Store Solvent	Mr D Debenham Mr A Wilson	Mr A Wilson Mr D Debenham
M360	4	P2	Store Hardware	Mr D Debenham Mr A Wilson	Mr A Wilson Mr D Debenham
M361	4	P1	Solvent Store	Mr B C Howard Mr W A W Smith	Mr W A W Smith Mr B C Howard

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
N505A	4	PR	Offices	Dr M.I Phillips	Dr M I Phillips
N505B	4	Admin	Typing Pool and Telephone Exchange	Miss R Channon	Miss R Channon
N506	4	PC1	Laboratory PC1 Branch	Mr J Cook	Miss A. Howard
N509	4	Admin	Canteen	Mrs J Wallace	Mr K Dedman
N513	4	PR	Small Scale and Chemical Store	Mrs H Davis	Mr K Dedman
N514	5	P1	Store SE of N548 (Not Erected)	Mr M E N Evans	Mr R Tinniswood
N515	5	P1	Truck Shed S of N548	Mr M E N Evans	Mr S Bennett
N516	5	P1	Store S of N547	Mr P J Bourn	Mr A Heath
N517	5	P1	Store W of Dutch Barn N546	Mr P J Bourn	Mr A Heath
N518	5	P1	Store SW of N569	Mr P J Bourn	Mr R Greenfield
N519	4	PR	Solvent Store N End of RDX Road	Mr P J Bourn	Mr R Greenfield
N520	5	P1	Solvent Store N of N562	Dr M I Phillips	Mr A Heath
N522	4	PR	Acid Stores N of RDX Road	Mr A G Francis	Mr R Tinniswood
N523	4	PR	Acid Stores N End of RDX Road	Mr P J Bourn	Mr S Bennett
N524	4	DSE	Gas Meter House	Dr M I Phillips	Mr R Tinniswood
N527	4	PR	Store	Mr A G Francis	Mr S Bennett
N529	4	PR	Store W of N530	Dr M I Phillips	Mr R Tinniswood
N530	4	PR	Explosive Nitration House	Mr A G Francis	Mr S Bennett
N531	4	PR	RDX Boiling House	Dr M I Phillips	Mr R Tinniswood
N532	4	PR	Magazine	Mr A G Francis	Mr S Bennett
N533	4	PR	Control Room	Dr M I Phillips	Mr R Tinniswood
N534	4	PR	Hazardous Chemicals	Mr A G Francis	Mr S Bennett
N535	4	PR	Micronising House	Dr M I Phillips	Mr R Tinniswood
N536	4	PR	Explosive Small Scale Plant	Mr A G Francis	Mr S Bennett
N537	4	PR	Explosive Small Scale Plant	Dr M I Phillips	Mr R Tinniswood
N538	4	PR	Vacuum Plant Room	Mr A G Francis	Mr S Bennett
N539	4	PR	Small Scale Explosives	Dr M I Phillips	Mr R Tinniswood
N540	4	PR	Explosive Drying Plant	Mr A G Francis	Mr S Bennett
N541	4	PR	Nitration House	Dr M I Phillips	Mr R Tinniswood
N542	4	DSE	Reservoir	Mr A G Francis	Mr S Bennett
N544	5	None	Derelict	Mr E Perry	Mr E Perry
N545	5	P2	Magazine Near N550	N/A	N/A
N546	5	P1	Transit Shelter For N547	Mr G Bromberger	Mr G Bromberger
				Mr P Kennett	Mr T Jacques
				Mr P J Bourn	Mr R Greenfield

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
N547	5	P1	Magazine	Mr P Bourn Mr E A Baker	Mr R Greenfield Mr R Greenfield
N548	5	P1	Dry Mixing House	Mr P Bourn Mr E A Baker	Mr A Heath Mr A Heath
N549	5	P1	Wet Mixing and NC Extraction House	Mr P Bourn Mr E A Baker	Mr A Heath Mr A Heath
N550	5	P2	CTPB Propellant Plant	Mr G Bromberger Mr T Jacques	Mr G Bromberger Mr T Jacques
N551	4	DSE	Reservoir	Mr E Perry Mr E Perry	Mr E Perry Mr S Hutchings
N552	5	DSE	Water Pump House	L/FM Collins	Mr E A Baker
N553	5	P1	Charge Curing	Mr P J Bourn	Mr A Heath
N554	5	P2	CTPB Propellant Prep Room and Ovens	Mr G Bromberger Mr T Jacques	Mr G Bromberger Mr T Jacques
N555	5	P1	Calorifier Room For N548	Mr P J Bourn	Mr A Heath
N556	5	P1	Experimental Processing	Mr P J Bourn	Mr A Heath
N557	5	P1	NG Extraction	Mr P J Bourn Mr E A Baker	Mr A Heath Mr A Heath
N558	5	P1	Compressor Room	Mr P J Bourn	Mr A Heath
N559	5	P2	Marley Flamstor Near N550	Mr G Bromberger Mr P Kennett	Mr G Bromberger Mr T Jacques
N560	5	P2	Store Near N550	Mr G Bromberger Mr P Kennett	Mr G Bromberger Mr T Jacques
N561	5	P2	Store Near N550	Mr G Bromberger Mr P Kennett	Mr G Bromberger Mr T Jacques
N562	5	P1	P1 Offices and Laboratories	Mr P J Bourn Mr E A Baker	Mr E A Baker Mr E A Baker
N564A	5	P1	Annexe Tube Preparation	Mr P J Bourn	Mr E A Baker
N564B	5	P2	Photography	Mr A Daniel	Mr E A Baker
N565	5	P1	Compressor House Near N567	Mr P J Bourn	Mr E A Baker
N566	5	DSE	Toilet	Mr E Perry	Mr E A Baker
N567	5	P1	Experimental Processing and Lab	Dr F Baker Mr P J Bourn	Mr E A Baker Mr E A Baker
N568	5	P1	Process Store	Mr P J Bourn	Mr E A Baker
N569	5	P1	X-Ray Examination	Mr P J Bourn	Mr A Heath
N570	5	P1	Cube Cracking Ovens	Mr P J Bourn	Mr E A Baker
N571	5	P2	Control Room For N550	Mr G Bromberger Mr T Jacques	Mr G Bromberger Mr T Jacques
N572	5	P1	Experimental Process	Mr P J Bourn	Mr E A Baker
N573	5	P1	Non Standard Propellants	Mr P J Bourn	Mr A Heath
N574	5	P1	NG Wash Water Settling	Mr P J Bourn	Mr A Heath
N575	5	None	Not In Use	N/A	N/A
N576	5	None	Not In Use	N/A	N/A
N577	5	P1	Inert Store	Mr P J Bourn	Mr A Heath
N578	5	None	Not In Use	N/A	N/A
N579	5	P1	Casting Liquid Magazine	Mr P J Bourn	Mr R Greenfield
N580	5	DSE	Toilet	Mr E Perry	Mr A Heath
N581	5	P1	Waste Cordite Magazine	Mr P J Bourn	Mr R Greenfield
N582	5	DSE	Electric Substation	Mr R Ingram Mr F Mansfield	Mr E Baker Mr E Baker
N583	5	PR	Acid Mix House For Nitric Esters	Dr M I Phillips	Mr A Heath
N584	5	P1	Locker Magazine	Mr P J Bourn	Mr E Baker

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
N585	5	PR	Refrigerator House Near N557	Dr M I Phillips	Mr A Heath
N586	5	P1	Non Standard Propellant	Mr P J Bourn	Mr R Greenfield
N587	5	P1	Calorifier Room For N556	Mr P J Bourn	Mr A Heath
N588	5	P1	Plant Room For N557	Mr P J Bourn	Mr A Heath
N589	5	P2	Calorifier Room For N550	Mr A C Bird	Mr G Bromberger
				Mr G Horne	Mr T Jacques
N590	5	P1	Calorifier Room For N574	Mr P J Bourn	Mr A Heath
N591	5	Safety	Offices and Store	L/FM Collins	L/FM Collins

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
P700	5	P1	Womens Shift Room	Mr P J Bourn	Mr E A Baker
P701	5	P1	Shift Room	Mr P J Bourn	Mr E A Baker
P702	5	P1	Small Store	Mr P J Bourn	Mr P J Bourn
P703	5	P1	Cordite Stove	Mr P J Bourn	Mr P J Bourn
P704	5	P1	Cordite Inspection	Mr P J Bourn	Mr P J Bourn
P705	5	P1	Cordite Rolling	Mr E A Baker Mr P J Bourn	Mr P J Bourn Mr P J Bourn
P706	5	P1	Vertical Press	Mr E A Baker Mr P J Bourn	Mr P J Bourn Mr P J Bourn
P707	5	DSE	Sewer Pump House	Mr R Ingram Mr F Mansfield	Mr P J Bourn Mr P J Bourn
P708	5	P1	Exhibition Room and M/C Shop and Store	Mr E A Baker Mr P J Bourn	Mr P J Bourn Mr P J Bourn
P709	5	DSE	Toilet	Mr E Perry	Mr R Greenfield
P710	5	P1	In Process Store	Mr P J Bourn	Mr R Greenfield Mr R Greenfield
P711	5	None	Derelict	N/A	N/A
P712	5	P1	Truck Drying	Mr E A Baker Mr P J Bourn	Mr R Greenfield Mr R Greenfield
P713	5	P1	Sieving House	Mr E A Baker Mr P J Bourn	Mr R Greenfield Mr R Greenfield
P714	5	P1	Charge Machining	Mr E A Baker Mr P J Bourn	Mr R Greenfield Mr R Greenfield
P715	5	P1	Cordite Small Scale	Mr P J Bourn Mr E A Baker	Mr P J Bourn Mr P J Bourn
P716	5	P1	Horizontal Press	Mr E A Baker Mr P J Bourn	Mr R Greenfield Mr R Greenfield
P717	5	P1	Cordite Incorporation	Mr P J Bourn	Mr P J Bourn
P718	5	P1	Cordite Pressing	Mr P J Bourn	Mr P J Bourn
P719A	6	P2	Bays 1 and 2 Laboratories	Mr P J Bourn Mr R J Brown	Mr P J Bourn Mr R J Brown
P719B	6	P2	Bays 3 and 4 Tube Preparation and Non Exp Store	Mr R J Brown Mr R J Brown	Mr G Turner-Mutch Mr R J Brown
P719C	6	P2	Bay 5 Laboratory	Mr R J Brown Mr R J Brown	Mr G Turner-Mutch Mr R J Brown
P720	6	P2	Plastic Propellant Manufacture	Mr E M G Cooke Mr E M G Cooke	Mr E M G Cooke Mr B A E Parker
P721A	6	P2	Laboratory and Offices	Mr G Colley Mr J Holloway	Mr G Colley Mr J Holloway
P721B	6	P2	Proof Stand Assembly Post	Mr G Colley Mr J Holloway	Mr G Colley Mr J Holloway
P722	6	MDP	Police Emergency Post	N/A	Mr R Durrant
P723	6	P2	Binder and Milling Bays Perchlorate	N/A Mr R J Brown	Mr T R Smith Mr R J Brown
P724	6	P2	Plastic Propellant Press and Pugmill	Mr R J Brown Mr E M G Cooke Mr E M G Cooke	Mr B Cuthbert Mr R Durrant Mr T A R Smith
P725	6	P2	South Site Proof Stand	Mr G Colley Mr J Holloway	Mr G Colley Mr J Holloway

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
P726	6	P2	Motor Room Proof Stand	Mr G Colley Mr J Holloway	Mr G Colley Mr J Holloway
P727	6	P2	Hot and Cold Chambers	Mr G Colley Mr J Holloway	Mr G Colley Mr J Holloway
P728	6	P2	Ammonium Perchlorate Ovens	Mr R J Brown Mr R J Brown	Mr R J Brown Mr B Cuthbert
P729	6	P2	Pugmill	Mr E M G Cooke Mr E M G Cooke	Mr R Durrant Mr T A R Smith
P730	5	P1	Offices Cordite and Small Scale	Mr P J Bourn	Mr P J Bourn
P731	5	P1	Boot Porch and Stores Cordite	Mr P J Bourn	Mr P J Bourn
P732	5	P1	Cordite CDB	Mr P J Bourn	Mr P J Bourn
P733	5	P1	Cordite CDB	Mr P J Bourn	Mr P J Bourn
P734	5	P1	Cordite CDB	Mr P J Bourn	Mr P J Bourn
P735	5	P1	Cordite CDB	Mr P J Bourn	Mr P J Bourn
P736	5	P1	Cordite CDB	Mr P J Bourn	Mr P J Bourn
P737	5	P1	Cordite Small Scale	Mr P J Bourn	Mr P J Bourn
P738	5	P1	Cordite Small Scale	Mr P J Bourn	Mr P J Bourn
P739	5	P1	Magazine	Mr P J Bourn	Mr R Greenfield
P740	5	P1	Quinan Stove Combustible Cases	Mr P J Bourn Mr E A Baker	Mr R Greenfield Mr R Greenfield
P741	5	P1	Magazine	Mr E A Baker Mr P J Bourn	Mr R Greenfield Mr R Greenfield
P742	5	PC1	Offices and Labs (Adhesives)	Dr D Tod Mr R W Atkins	Mr R W Atkins Dr D Tod
P743	5	MDP	MDP Offices	MDP	MDP
P744	5	DSE	Sewer Pump House	Mr R Ingram Mr F Mansfield	Mr R W Atkins Dr D Tod
P745	5	P1	Solvent Store	Mr P J Bourn	Mr P J Bourn
P746	5	MDP	Police Lodge Sewardstone	MDP	MDP
P747	5	MDP	Police Search Hut Sewardstone	MDP	MDP
P748	5	Medical	South Site Surgery	Sist S A Kilby	Sist S A Kilby
P749	5	P2	Battery Charging	Mr R Ingram	Mr R W Atkins
P750	5	P2	Shift House	Mr G Colley Mr G Colley	Mr E M G Cooke Mr B A E Parker
P751	5	DSE	Electric Substation	Mr R Ingram Mr F Mansfield	Mr P J Bourn Mr P J Bourn
P752	5	DSE	Electric Substation	Mr R Ingram Mr F Mansfield	Mr R Greenfield Mr R Greenfield
P753	6	P2	Small Proof Stand	Mr G Colley Mr J Holloway	Mr G Colley Mr J Holloway
P754	5	Safety	Fire Station	L/FM M Collins	L/FM M Collins
P755	6	P2	Magazine	Mr G Colley Mr J Holloway	Mr G Colley Mr J Holloway

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
P756	6	P2	Magazine	Mr R Durrant Mr R Durrant	Mr D G Catton Mr B Argent
P757	6	P2	Laboratory and Office Extension	Dr J Hicks	Mr M Catt
P758	6	P2	CTPB Propellant Manufacture	Mr R Durrant	Mr D G Catton
P759	6	P2	Solvent and Acid Store	Mr R Durrant Mr E M G Cooke Mr E M G Cooke	Mr B Argent Dr S Grey Mr M Catt
P760	6	P2	Magazine	Mr R Durrant	Mr G Colley
P761	6	P2	Magazine	Mr R Durrant	Mr D G Catton
P762	5	PC1	Magazine	Mr R Durrant	Mr D G Catton
P763	6	P2	K Round Clearing Facility	Dr D Tod	Mr B Argent
P764	6	P2	Solvent Store	Mr R W Atkins	Mr R W Atkins
P765	6	P2	Magazine	Mr R W Atkins N/A	Dr D Tod N/A
P766	6	P2	Magazine	Mr R J Brown	Mr R J Brown
P768	6	P2	Box Store	Mr R J Brown	Mr G Turner-Mutch
P769	5	PC1	Magazine	Mr R J Brown	Mr R J Brown
P770	6	P2	Magazine Near P719	Mr R J Brown	Mr G Turner-Mutch
P771	5	P1	Store Near P708	Dr J Hicks	Mr M Catt
P772	5	P1	Shelter Near P730	Dr H Edwards	Mr R Durrant
P773	5	PC1	Near P704	Mr B Parker	Mr T A R Smith
P775	5	PC1	Solvent Store	Dr D Tod	Mr R W Atkins
P776	5	P1	Compressor House Near P740	Mr R W Atkins Mr E Cooke Mr E Cooke Mr P J Bourn Mr P J Bourn Mr P J Bourn Dr D Tod Mr R W Atkins	Dr D Tod Mr D G Catton Mr B Argent Mr P J Bourn Mr P J Bourn Mr P J Bourn Mr R W Atkins Dr D Tod
				Mr P J Bourn	Mr R Greenfield

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
R600	5	P1	Empty Drum and Box Store	Mr P J Bourn	Mr R Greenfield
R601	5	P1	Weighing House	Mr P J Bourn	Mr G Chapman
R602	5	P1	Explosive Magazine	Mr P J Bourn	Mr G Chapman
R603	5	P1	Explosive Magazine	Mr P J Bourn	Mr G Chapman
R604	5	P1	Explosive Store	Mr P J Bourn	Mr G Chapman
R605	5	P1	Explosives Store	Mr P J Bourn	Mr G Chapman
R606	5	P1	Explosives Store	Mr P J Bourn	Mr G Chapman
R607	5	P1	Explosives Store	Mr P J Bourn	Mr G Chapman
R608	5	P1	Explosives Store	Mr P J Bourn	Mr G Chapman
R610	5	P1	Explosives Store	Mr P J Bourn	Mr G Chapman
R611	5	P1	Explosives Store	Mr P J Bourn	Mr G Chapman
R612	5	P1	Explosives Magazine	Mr P J Bourn	Mr G Chapman
R613	5	P1	CCC/Water Steeping/Paper Beatings	Mr P J Bourn	Mr G Chapman
R614	5	P1	Cordite Rumbling and Graphiting	Mr P J Bourn	Mr G Chapman
R615	5	P1	Combustible Cases	Mr P J Bourn	Mr G Chapman
R616	5	P1	Propellant Process Research	Mr P J Bourn	Mr G Chapman
R617	5	P1	Explosive Store	Mr P J Bourn	Mr G Chapman
R618	5	P2	Explosive Storehouse	Mr A Wilson	Mr G Chapman
R619	5	Safety	Storage of Explosives	Mr D J Mathias	Mr G Chapman
R620	5	Safety	Explosives Store	Mr A T Betts	Mr G Chapman
R621	6	DSE	Engineers Store	Mr D J Mathias	Mr G Chapman
R622	6	PC2	Magazine	Mr A T Betts	Mr G Chapman
R623	6	PC2	Magazine	Mr A C Bird	Mr R J Brown
R624	6	P2	Magazine	Mr G Horne	Mr K Fowler
R625	6	P2	Magazine	Mr B James	Mr E J Brown
R626	6	P1	Store	Mr B James	Mr K Fowler
R627	6	P1	Explosive Store	Mr R J Brown	Mr R J Brown
R628	6	Safety	Magazine	Mr R J Brown	Mr K Fowler
R629	5	P1	Compressor House Near R616	Mr P J Bourn	Mr R J Brown
R630	5	P2	Electrical Switchgear House	Unknown	Mr K Fowler
R631	6	P2	Control Room For R632 and 647 and 648	Mr P J Bourn	Mr G Chapman
R632	6	P2	Plastic Propellant Mixing	Mr G Baillie	Mr G Chapman
R633	6	P2	None	Mr R J Brown	Mr R J Brown
				Mr B Parker	Mr K Fowler
				Mr R J Brown	Mr R J Brown
				Mr B Parker	Mr K Fowler
				Unknown	Mr R J Brown
				Unknown	Mr K Fowler

June 1986

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
R634	6	PC2	Fragment Attack	Mr D Manners Mr D Manners	Mr D J Manners Mr W Warren
R635	6	P1	Climatic Trials Hot	Mr P J Bourn	Mr D J Manners Mr W Warren
R636	6	PC2	Magazine	Mr B James	Mr D J Manners
R637	5	P1	Control Room for R613	Mr P Bourn	Mr G Chapman
R638	6	PC2	Control Room for R634	Mr D J Manners Mr D J Manners	Mr D J Manners Mr W Warren
R639	7	PR	Isocyanate Store Near R671	Dr D Sims	Dr B V Howes
R640	7	PR	Solvent Store Near R671	Dr D Sims	Dr B V Howes
R641	7	P2	Explosive Store	Dr R McGuchan Mr B Ransley	Mr B Ransley Mr E Brett
R642	7	P2	Explosive Store	Dr R McGuchan	Mr E Brett
R643	7	P2	Solvent Store	Mr B Ransley Mr B Ransley	Mr E Brett Mr E Brett
R644	7	PR	Storage of Explosives	Mr R Tinniswood Dr M I Phillips	Mr R Burlend Mr R Burlend
R645	6	None	Not In Use	N/A	N/A
R646	6	P2	Plastic Propellant Blending	Mr R J Brown	Mr R J Brown
R647	6	P2	Plastic Propellant Mixing	Mr B Parker Mr R J Brown	Mr K Fowler Mr R J Brown
R648	6	P2	Plastic Propellant Mixing	Mr B Parker Mr R J Brown	Mr K Fowler Mr R J Brown
R649	7	ISRG	Magazine	Mr E Kendrew	Mr A Whittaker
R650	7	Safety	Magazine	Mr D Mathias	Mr A Whittaker
R651	7	Safety	Magazine	Mr D Mathias	Mr A Whittaker
R652	7	P2	Initiator Building	Dr R McGuchan Mr B Ransley	Mr B Ransley Mr E Brett
R653	7	P2	Chemical Store	Dr R McGuchan Mr B Ransley	Mr B Ransley Mr E Brett
R654	7	P2	Magazine	Mr B Ransley Dr R McGuchan	Mr B Ransley Mr E Brett
R655	7	PC2	Explosives Store House	Mr B James	Mr A Whittaker
R656	7	ISRG	Workshop	Mr R Burlend	Mr R Burlend
R657	7	ISRG	Magazine	Mr E Kendrew	Mr T R Jupp
R658	7	ISRG	Magazine	Mr E Kendrew	Mr T R Jupp
R659	7	ISRG	Magazine	Mr E Kendrew	Mr T R Jupp
R660	7	ISRG	Magazine	Mr E Kendrew	Mr T R Jupp
R661	7	None	Shelter Not In use	N/A	N/A
R662	7	Safety	Safety Section Offices	Mr D J Mathias Mr A T Betts	Mr R J Pace Mr R J Pace
R663	7	ISRG	Offices	Dr R Campbell Mr E Kendrew	Mr R J Pace Mr R J Pace
R664	7	ISRG	Stores	Mr R Burlend	Mr W Pember
R665	7	ISRG	Laboratory Toxic Chemicals Class 5	Dr B V Howes	Mr W Pember
R666	7	ISRG	Explosives Laboratory	Mr E Kendrew	Mr R Burlend
R667	7	ISRG	Not In Use	Mr E Kendrew	Mr T R Jupp
R668	7	ISRG	Store	Mr E Kendrew	Mr E Kendrew
R669	7	ISRG	Laboratory	Mr E Kendrew	Mr E Kendrew
R670A	7	ISRG	Stores	Mr E Kendrew	Mr R Burlend
R670B	7	ISRG	Stores	Mr E Kendrew	Mr R Burlend
R671	7	PR	Hazardous Chemicals	Dr D Sims	Mr R Richards
R672	7	PR	Not In Use	Dr R McGuchan	Mr R Richards

June 1985

Building No	Area No	Responsible Branch	Use	Callout Officer	Emergency Officer
R673	7	PR	Office and Laboratory	Dr R McGuchan	Mr B Ransley Mr E Brett
R675	7	PR	Solvent Store	Dr R McGuchan	Mr E Brett
R676	7	P2	Store	Dr H Edwards Mr B Parker Mr R Russell	Mr R Richards Mr R Richards Mr R Richards
R677	7	DSE	Sewer Pump House	Mr R Ingram Dr B V Howes	Mr R Richards Mr R Richards
R678	7	ISRG	Solvent Store	Mr R Richards	Mr R Richards
R679	7	ISRG	Chemical Store	Mr E Kendrew	Mr T R Jupp
R680	7	ISRG	Locker Magazine	Mr D J manners	Mr D J Manners
R681	6	PC2	Control Room	Mr D J manners Mr G Church	Mr W Warren Mr E Kendrew
R682	7	Home Off	Locker Magazine	Mr E Kendrew	Mr E Kendrew
R683	7	ISRG	Firing Point	Mr E Kendrew	Mr E Kendrew
R684	7	ISRG	Control Room for R683	Mr P J Bourn	Mr R J Brown
R685	6	P1	Control Room for R635	Mr P J Bourn Mr R Russell Mr R Ingram	Mr K Fowler Mr G Chapman Mr G Chapman
R686	5	DSE	Sewer Pump House	Mr A Betts	
R687	7	Safety	Dropping Tower	Mr A Whittaker	Mr A Whittaker
R688	7	PR	Locker Magazine Near R656	Mr A betts	
R689	7	Safety	Control Room for Dropping Tower	Dr R McGuchan	Mr B Ransley
R690	7	PR	Pyrotechnic Store	Mr E Kendrew	Mr T R Jupp
R691	7	PR	Locker Magazine	Mr R Burlend	Mr R Burlend
R692	7	PR	Compressor House	Mr B Parker	Mr R J Pace
R693	7	P2	Store	Dr H Edwards Mr B Parker	Mr R J Pace Mr R J Pace
R694	7	P2	Store	Dr H Edwards Mr B Parker	Mr R J Pace Mr R J pace
R695	7	P2	Store	Dr H Edwards Mr B Parker	Mr R J Pace Mr R J Pace
R696	7	Safety	Chemical Disposal	Mr D J Mathias Mr A T Betts	Mr R J Pace Mr R J Pace
R697	7	ISRG	Unheading Shed Near R659	Mr E Kendrew	Mr E Kendrew
R698	7	ISRG	Toilet Block	Dr R Campbell Mr E Kendrew	Mr R J Pace Mr R J Pace
R699	7	P2	Equipment Store	Dr R McGuchan Mr B Ransley Mr A Whittaker	Mr B Ransley Mr E Brett Mr T J Jupp
R801	7	ISRG	Compressor House Near R666	Mr R Russell	Mr R J Pace
R802	7	DSE	Substation F	Mr R Ingram Mr B Parker	Mr R J Pace Mr K Fowler
R803	7	P2	Plant Store	Dr H Edwards	Mr K Fowler